

P-P PERMIT

To plant or perform work on or near all street and park trees

Parks <u>will not</u> issue a permit without an application.

An associated Tree Permit Work Order(s) must accompany this Permit at all times.

	RONX (718) 430-18 QUEENS (718) 699-4		BROOKLYN (718) 965-77 STATEN ISLAND (718) 8		MANHATTAN (212) 860-1845
OtherFORESTRY OFFICES:	PONY (740) 420 40	277	PROOKLYN (240) 005		
Tree planting was DENIE Parks and Recreation Pla □ Water valve □ Gas □ Existing tree □ Fire	nting Standards: valve □ Stree	et light Driveway	bstructions were found upo	☐ Narrow si	ased on New York City Department of dewalk / intersection
will issue you an off-site p	ermit within 30 da	ys of receipt of a valid a	pplication.		permit in an alternate location. Parks
below for the reason.					lant all of them, please see the box
 Guarantee period. All newl responsible for replacing the 	y planted trees mus tree.	st be guaranteed by the F	Permittee for two (2) years afte	r planting. If a t	ree dies during this period, the Permittee is
 Final inspection. A final p pit(s) have been finished u requesting a final inspection 	anting inspection r sing granite paver . A Parks forester v	must be scheduled with a s, if necessary. Once pla will visit the site within thro	a Parks forester after the tree anting is complete, fax or ma see (3) weeks to ensure that all	(s) have been p il a copy of yo planting work v	planted, staked, and mulched and the tree ur permit to Central Forestry with a lette vas completed to Parks' satisfaction.
 Restitution. Any tree work penalty at the direction of the 	improperly perform e Department of Pa	med or otherwise not in arks and at the expense of	accordance with Parks Stand of all legally responsible parties	lards and Spec	ifications will be subject to restitution and
 Liability. All tree work shall from all liability for damage 	to persons or prope	erty, however caused, thro	ough the exercise of this Perm	it.	lew York and the Department of Parks free
 Planting Guarantee. Appli 	cants for tree plant	ing permits are responsib	le for the trees for a 2 year o	uarantee nerio	If if no tree work entity information is given andition you will be required to complete a
Parks reserves the right t	o deny a Permit to	any contractor or entit	y in poor standing with the Adenied any Agency permits for	Agency. In order	er to stay in good standing our standards months.
 Standards. Work under the which are summarized on and understand the complete 	the reverse page. (Complete Parks Standard	Permit Work Order(s)—must ds are available from the fore:	be done in acco stry offices. It is	ordance with Parks Department Standards the responsibility of the Permittee to read
copies are accepted.					the approved work is being performed—no
 Notification. The relevant 	orestry office must	be notified at least 24 ho	urs prior to the start of tree wo	rk (see phone r	numbers below).
 Time frame. This Permit is 31st. If the Permittee misse 	valid for the time p	period specified above. Tr //he must reapply. This Pe	ees can only be planted betweermit may be revoked at any tie	een March 1 st a	and May 31 st or October 1 st and Decembe
REQUIREMENTS OF THIS P	ERMIT:				
DEPARTMENT OF BUILDII	NGS BIS NUMBER	R (N/A if not applicable)			ME MN Detention Center Dismantle
CROSS STREETS Walker	Street & White	Street			BOROUGH_Manhattan
STREET ADDRESS Manh	attan Detention	Center - 92 Baxter	Street		
WORK LOCATION:					ZIF CODE
TREE WORK ENTITY ADD				a1	ZIP CODE 11793
TREE WORK ENTITY NAM					TEL NO. 732-309-4123
TO PLANT AND / OR PER				E_11100	EMAIL Journal of the Property
MAILING ADDRESS 3000		Wantagh NY	TEL. NO. 516-876-20	_ 11793	FAX
THIS PERMIT IS ISSUED			516 976 20	20	
					NEOTIF MANAGERY SENIOR PORESTER
# PAGES ATTACHED			PERMIT APPROVED B	Y BOROHOH FO	RESTRY MANAGER / SENIOR FORESTER
APPLICATION NO			PROJECT / DOB BIS N	IO MN Deter	tion Center Dismante
PERMIT NO. WSP03N			DATE VALID 4 /22	2022	DATE EXPIRES 04 , 21 , 2023
	L OTTICK				
			: TREE/QTY D EXISTII		The state of the second
work permitted:					☐ TRANSPLANT: TREE QTY.
Type of tree	REMOVE: T	REE QTY. 6 \Box ON-S	TE PLANTING: TREE QTY.	□ OFF-SIT	E PLANTING: TREE QTY

NYC DEPARTMENT OF PARKS & RECREATION - SUMMARY OF TREE WORK STANDARDS*

PRUNE

The Permittee shall prune trees in accordance with accepted arboricultural practices, to the satisfaction of Parks. Due to the Asian longhorned beetle (ALB) infestation, the contractor must be certified to work in the ALB quarantine zone and will be required to chip all debris generated in the course of tree removal as set forth in state and federal quarantine regulations. In order to reduce susceptibility to Dutch elm disease, all elm trees shall only be pruned between November 1st and March 31st, except if so directed by Parks. Where appropriate, the Permittee shall lower any branch using ropes that would otherwise Injure the tree or other property when falling. Where there is restricted access, or where trees are taller than the working height of a bucket, it may be necessary for trees to be pruned using ropes and saddles. The use of hydraulic limb loppers or climbing spikes is prohibited. The Permittee shall be liable for any and all damage to trees, plants, and other growth, as well as real property and vehicles.

As directed by the Borough Forestry Manager or the designated representative, pruning shall consist of the removal of dead, broken, damaged (storm- or otherwise), fungus-or insect-infected limbs; dead or decaying stubs; suckers; and all other undesirable growth. Any structurally weak, decayed trunk or branch, or split crotch or branch, shall be removed. The Permittee shall remove all crossed or rubbing branches where practicable so that the removal will not leave large holes in the general outline of the tree. Prune all branches six to twelve feet (6'-12') from buildings, or as directed by the Borough Forestry Manager. Excessive pruning is prohibited. All pruning shall be done to a lateral branch or branch attachment point where possible. All limbs one inch (1") in diameter (the size of a quarter) and over must be pre-cut to prevent splitting and / or bark rips. All cuts shall be made to the top of the branch collar so that healing can readily start under normal conditions. Do not leave stubs or make flush cuts. Injured areas where healing is not taking place properly may be bark traced in accordance with accepted arboricultural practices, if directed. Cuts that may prevent normal sap flow are not to be made. In lifting bottom branches of trees for under clearance, care should be given to the symmetrical appearance of the tree.

2. EXCAVATE

Extreme care must be exercised in removing concrete or asphalt within the tree protection zone, and paving pieces must be lifted rather than dragged. Any excavation shall be done by hand, pneumatic excavation, or micro-tunneling. Trenching shall not occur within the tree protection zone. Roots over one inch (1") in diameter shall not be cut without the written permission of Parks, either inside or outside of the tree protection zone. The excavated area shall be backfilled immediately, or the roots shall be kept constantly moist with burlap covered with white plastic until backfill is complete, up to a maximum of forty-eight (48) hours. Burlap shall be checked a minimum of two (2) times a day, at least once in the morning and once in the afternoon. If directed, soaker hoses shall be installed to facilitate properly moist conditions of excavated areas. Planting beds that are installed within tree protection zones can only be done with the written permission of Parks and the presence of an Arborist. Other plants shall not be placed within three (3) feet of an existing tree trunk.

3. MANAGE PESTS

Pesticide applications shall be done only for the control of specific diseases or insects, with the proper materials in the necessary strength, and applied at the proper time to obtain the desired control. All spraying practices shall conform to State and Federal regulations. A professional possessing the State pesticide applicator license must perform the application. The Department of Environmental Conservation (DEC) can provide the most up-to-date guidelines and requirements on pesticide application, storage, and disposal. Suitable precautions shall be taken to warm the public that spraying is being done and to protect them.

INSTALL DECORATIONS

Decorations may only be affixed between November and February, and they must be removed by the beginning of March. In addition, they must not be attached by drilling or hammering into the bark.

5. PROTECT / WORK ADJACENT TO

To protect trees during construction, all work must follow Parks provisions for tree protection. This includes guidelines for soil protection, erosion control, overhead clearance, excavation and trenching, irrigation, and water runoff. In addition, the following tree protective barriers must be implemented: a twelve-inch (12") layer of mulch covered by interlocking high-density polyethylene mats under the tree canopy, tree guards with tree trunk wraps, fencing along the perimeter of tree protection zones, and signage clearly indicating protected areas. No encroachment of the designated tree protection zones shall occur without the written permission of Parks, and without the on-site presence of a Parks representative or an approved arborist. If encroachment is permitted, preventative measures must be employed to minimize damage. At the completion of the construction project and in response to field conditions, several site restoration / mitigation measures may be required by the contractor as specified in the tree protection plan or by Parks directly. These measures shall be assumed at the expense of the Permittee and shall not be done without the approval of Parks.

6. PLANT

Parks expects the Permittee to propose the largest pits possible appropriate to the sites, and Parks has the right to increase the size of the pits. The permitted work consists of excavating all tree pits, planting, and maintaining new trees of the type and size designated on the approved list. Tree diameter shall be at least two and a half inches (2.5") measured at six inches (6") from the ground and no larger than three and a half inches (3.5") in diameter, unless otherwise authorized by Parks. They shall have normal, well developed branches and a fibrous root system. They shall be sound, healthy, vigorous trees, free from defects. No nylon burlap or rope shall be permitted around the root ball. No tree trunks shall be wrapped. All nursery tags and protective wrapping must be removed prior to planting. Crowns of young trees shall not be cut back to compensate for root loss. At the time of planting, the root collar shall not be burled and the soil around each tree shall be thoroughly saturated with at least twenty (20) gallons of water. A three-inch (3") bark mulch layer shall be applied as a ground cover to the surface of all planting beds at the time of planting, except directly around the root flare. The Permittee shall be liable for any damages to property due to planting operations, and all areas disturbed shall be restored to their original condition. All trees shall be guaranteed for 2 years. The Parks Department no longer issues permits to plant Flowering Pear, Pyrus calleryana. For a complete list of species restrictions, please visit the Parks Department website at www.nyc.gov/parks. Please refer to Parks' Tree Planting Standards for complete guidelines: http://www.nyc.parks.org/permits/trees/planting.pdf.

7. REMOVE STUMP

See Parks Standards for tree removal below.

8. REMOVE TREE


All trees must be topped and limbed prior to felling. The Permittee must carefully protect against damage to all existing trees (including live roots), plants, curbs, sidewalks, utilities, and other features to remain. Stumps and all surface roots shall be removed or ground to a minimum depth of twenty four inches (24") below grade. During stump grinding operations, plywood must be used to protect adjacent vehicles, real property, and pedestrians. The excavated area must be filled only with topsoil backfill material that meets Parks specifications. The topsoil shall be firmly tamped every six inches (6") in the backfill process and mounded to no more than three inches (3") above the existing grade to account for further setting. All paved areas, parking areas, lawns, and sidewalks that have been disturbed by tree removal must be cleared of fallen branches and restored to original condition. Due to the Asian longhorned beetle (ALB) infestation, the contractor must be certified to work in the ALB quarantine zone and will be required to chip all debris generated in the course of tree removal as set forth in State and Federal quarantine regulations.

9. TRANSPLANT / RELOCATE

Unless otherwise specified, all materials, workmanship, and requirements shall conform with applicable provisions of Parks' Street Tree Planting Guidelines (see Planting Specifications, above). No transplanting shall be done except in the presence of the Borough Forestry Manager or a representative. The Permittee shall transplant trees only up to four-inch (4") caliper unless otherwise directed by Parks. All precautions customary in good trade practice shall be taken in preparing plants for moving, and workmanship that fails to meet the highest standards will be rejected. All plants shall be dug to retain as many fibrous roots as possible. Plants shall be balled and burlapped, having a solid ball of earth of minimum specified size according to the most recent American Association of Nurserymen Standards and securely held in place by burlap and sisal twine. All rejected material shall be immediately removed from the site and replaced with acceptable material at no additional cost to Parks.

10. OTHER

All other work on or around City tree(s) must be done in accordance with Parks Department Standards, including, but not limited to, air-spading, injecting pressurized water, applying anti-transpirants, mulching / vertical mulching / radial trenching, fertilizing, modifying soil, implanting / micro-injecting, tree cabling / bracing, affixing tree guards / lightning protection rods, applying plant growth regulators, and investigating decay / root collar. The appropriate forestry office must be notified at least 24 hours prior to the start of tree work.



P-W TREE PERMIT WORK ORDER

To accompany any permit for tree planting or tree work

Control of the Contro	E INSPECT	OR: This work orde	er must be prepa	red prior to	issuing a per	mit. The Inspector	's Report			
must be	complete	as soon as the pe	rmitted work is fi	inished.						
Type of	tree	☑ REMOVE TREE #TREES 6 ☐ ON-SITE PLANTING #TREES ☐ OFF-SITE PLANTING #TREES								
work permitted:		□ PRUNING # TREES □ Excavate # TREES □ PROECT # TREES □ Transplant # TREES								
		☐ Other #TREES	-							
APPLICATI	ON NO		DATE VALIE	0 <u>4/22/2022</u>	DATE EXPIRE	S <u>4/21/2023</u>				
PERMIT NUMBERWSP03MN22 SERVICE REQUEST INSPECTED BY John Mueller			PROJECT/D	PROJECT/DOB NUMBER MN Detention Center Dismantle						
			PAGE 1 OF	PAGE 1 OF 1 PAGES						
INSPECTIO	N DATE 3/1	6/2022	WORK ORD	WORK ORDER APPROVED BY BOROUGH FORESTRY MANAGER / SENIOR FORESTER						
0. other (spec ree Conditio leason Code:	n Codes: E. s: Sp. Spring	excellent; G. good; F. fair; (March 1st – May 31st); \$	P. poor; D. dead; S. s 6m. Summer (May 1 st	stump –September 30 ^{tt}	WORK TYPE:	- Dec 31st); W. Winter (
	street						SEASON:			
2 Baxter S ESCRIPTION OF	WORK NEEDEL			DBH:	WIRES:	PIT SIZE:	SEASON: 1 year PAVERS:			
92 Baxter S DESCRIPTION OF	WORK NEEDEL	SPECIES: See Below		See Below			1 year			
2 Baxter S ESCRIPTION OF Remove Tr Illow Gram	ee ercy Grou	See Below Inc., on behalf of N Species	Notes	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			
2 Baxter SESCRIPTION OF REMOVE Tr	ee eercy Grou DBH 16"	See Below Inc., on behalf of N Species Japanese pagoda	<u>Notes</u> tree	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			
2 Baxter Secription of temove Truling Gram llow Gram ree # 035096 035097	ee Bercy Grou DBH 16" 15"	See Below Inc., on behalf of N Species Japanese pagodar Japanese pagodar	Notes tree tree	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			
2 Baxter S ESCRIPTION OF Remove Tr Illow Gram ree # 035096 035097 035098	ee DBH 16" 15" 12"	See Below Inc., on behalf of N Species Japanese pagoda Japanese pagoda Japanese pagoda	Notes tree tree	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			
22 Baxter Spescription of Remove Tr Allow Gram 5035096 6035097 6035098 6035099	ee Bercy Grou DBH 16" 15"	See Below Inc., on behalf of N Species Japanese pagoda Japanese pagoda Japanese pagoda Japanese pagoda Japanese pagoda	Notes tree tree tree	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			
92 Baxter S DESCRIPTION OF Remove Tr	ee DBH 16" 15" 12" 13"	See Below Inc., on behalf of N Species Japanese pagoda Japanese pagoda Japanese pagoda	Notes tree tree tree	See Below	WIRES: N/A	PIT SIZE: N/A	1 year PAVERS: N/A			